




iRobot Roomba 655 Pet Series Drive Wheels Replacement

How to remove your drive wheels on your Roomba

Written By: Rhett



INTRODUCTION



Sometimes you just want a some new wheels right?! This guide will show you how to replace the wheels that drive your Roomba to become the cleaning machine that it is.



TOOLS:


- [Phillips #1 Screwdriver](#) (1)
 - [Phillips #2 Screwdriver](#) (1)
-

Step 1 — Removing the Side Brush






- Flip the device over onto its back
 - Unscrew the single screw that connects the side brush to brush motor using the Phillips head #2 screwdriver
- i** This screw does not come out of the yellow side brush*

Step 2 — Removing the Back Panel




- Remove the four Phillips #1 screws on the back panel.
- Pop off the back plate once the screws are loose by gently prying away from the body
- ⓘ *The screws don't come completely out of the panel, but it will still come apart once unscrewed.*

Step 3 — Removing the Battery






- Grab the two pieces of green tape with your thumb and index finger
- Pull up on the battery in an upwards direction to remove it

Step 4 — Battery Contact Points




- These are the contact points on the Roomba for the battery
- These are the contact points on the battery
- ⓘ If these contact points are dirty, they can be cleaned with a moist microfiber cloth (distilled water recommended)

Step 5 — Drive Wheels




- Remove the three screws with your Phillips head #1, holding the drive wheels in place
- ⓘ These three screws will stay in place and won't come out of the plastic

Step 6



- Unscrew the actual wheel from the blue plastic holder
- Pull apart the blue holder to completely remove the wheel

Step 7



- To go further into the holder to access the programming chips you can unscrew these compartments

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-06-21 06:50:16 PM.